
PRODUCT CATEGORY



LEO INTERNATIONAL, INC.

471 Sutter Avenue, Brooklyn, New York 11207 • Tel:718-290-8005 • Fax:718-290-8046

www.leointernational.com



















Trucks enter on Snediker Ave., between Sutter Ave. and Belmont Ave.

BROOKLYN		Copular parameter Market Copular	QUEENS
		Andrio Sanzara	
	1. [AVENUE.	
	SNEDIKER	PIER AVENUE	THE STATE OF THE S
	Z A	BEAMONT AVENUE.	AVENT
数	^	NY	Ž.
(5)		SUTTER AVENUE	
	J	Legal -	<u></u>

YOUR PIPELINECONNECTION

LEO International was established in 1986 to be the complete source for the PVF, HVAC, and Plumbing Industry. LEO is an import manufacturer specializing in Forging, Casting, and Injection Moulding Processes.

> Our Piping Products are manufactured from: Alloy-Carbon-Stainless Steel, Ductile-Gray-Malleable Iron, Bronze-Brass, Ceramics and Rubber Polymers.

LEO products are manufactured to the standards set by: ASTM, ASME, AWWA, ANSI, MSS, and LLOYDS REGISTER. Chemical and physical mill test reports are supplied with each shipment. We guarantee our products and cover you with Product Liability Insurance.

LEO is continually sourcing world wide for reputable mills to produce consistent-reliable-cost effective components to perfectly fit the application.

Water, Oil, Gas, Chemicals must be regulated, transported and stored. LEO can advise and supply the components to perfectly fit the application.

OEM/Blue Print/Custom Design requirements are a

specialty of LEO International. We utilize 100% of our potential for research and development. Our staff and associates monitor your order from placement with a chosen mill continuing down thru the pipeline - expediting customs

documentation to insure a secure, timely doorstep delivery.

Scheduling, Quality Control, Packing and Shipping are individually managed to assure Customer Satisfaction

SERVICE...SERVICE...SERVICE

is what you receive from Leo. We concentrate on your needs, advising you of current market trends and product development.

LEO INTERNATIONAL IS "YOUR PIPELINE TO SUCCESS" "!!!

LEO INTERNATIONAL, INC.



PRODUCT LIST

FITTINGS

1		
l.	CARBON SEAMLESS STEEL BUTT WELD FITTINGS	1/2" to 42"
	ASTM A234 WPB, ANSIB16.9, B16.28	STD, XH, SCH20, XXH, SCH160
2	CARBON FORGED STEEL SOCKET WELD & THREADED FITTINGS	1A" to 4"
	ASTM A105, ANSL B16.5, B2.1	2000, 3000, 4000Lb.
3.	CARBON FORGED STEEL OUTLET FITTINGS	1/8" to 24"
2000	ASTM A105, ANSIB16.5, B2.1	
4	STAINLESS STEEL BUTT WELD FITTINGS	1/2" to \$"
Sane	ASTM A403, ANSIB16.9	304, 304L, 310, 316, 316L
5.	STAINLESS FORGED STEEL SOCKET WELD & THREAD FITTINGS	18" to 4"
	ASTM 182, ANSIB16.11, B2.1	304, 304L, 310, 316, 316L
6	STAINLESS CAST ISOLB SOCKET WELD & THREADED FITTINGS	18" to 4"
92.62	ASTM A 351, ANSIB16.3, B2.1	304,316L
7	MALLEABLE IRON THREADED FITTINGS	14° to 6°
· · ·	ASTM A197 & A153, ANSIB2.1, B16.14, B16.3, B16.39	150,300Lb.
8	CAST IRON THREADED FITTINGS	1/4" to \$"
1000	ASTM A126, ANSIB16.14, B16.4	125, 25 0Lb .
9.	NO-HUB FITTINGS	Z" to 10"
~	ASTA ATTE	
-		2" to 16"
10.	EXTRA HEAVY FITTINGS	
	ASIMA74	15" to 5"
1000000	BRASS & BRONZE CAST THREADED & SOLDER FITTINGS	2" to 24"
17.	FLANGED FITTINGS: CAST STEEL, CAST IRON & DUCTILE IRON	125, 25 0Lb .
	ASTM A216WCB, ASTM A125, ANSIB16.1, B16.5	123, 234.0.
	STRAINERS & VALVES	

IL.	CARBON FORGED STEEL GATE, GLOBE, & CHECK VALVES	14" to 2"
20000	ASTM A105, A193, API602, ANSI B2.1	800, 1500, 2500Lb.
2	CAST IRON STRAINERS: GATE, GLOBE, & CHECK VALVES	2" to 24"
	ASTM A126, ANSI 12.1, 16.1, 16.10, mss SP 45	125, 150, 250Lb.
3.	CAST STEEL STRAINERS: GATE, GLOBE, & CHECK VALVES	2" to 24"
1072145	ASTM A216WCB, ANSI 16.1, 16.25, 16.34, B16.5, API600	150 to 2500 Lb.
4	STAINLESS FORGED & CAST STEEL VALVES	14" to 4"
	ASTM A351, API 600 & 608, ANSI B2.1, 16.11, 16.34, 16.5	150 to 1500 Lb.
5.	BRASS & BRONZE STRAINERS: BALL, GATE, GLOBE, & CHECK VALVES	14" to 4"
	THREADED SOLDERED & FLANGED, ASTM 862, ANSIR2 1, R16-24	,

FLANGES

1. CARBON FORGED STEEL FLANGES 1/2" to 96" 150, 300, 600, 1500, 250Lb. ASTM A105, ANSIB16.5, B2.1 2. CARBON STEEL PLATE FLANGES ASTM A36, AWWA C207, ANSIB16.5 3. CARBON STEEL 125Lb. LIGHT WEIGHT FLANGES 4" to 96" ASTM A105, ANSIB16.5, B2.1

PLUMBING & HEATING

- CAST IRON BADIATORS: BASEBOARD, CONNECTORS, RECESSED, & TUBE STYLES
- 2. PLUMBING POTTERY, CAST IRON, BRASS SANITORY FIXTURES ASTM A112.19.2 & ASME 1002

OTHER PRODUCTS AVAILABLE UPON REQUEST LEO INTERNATIONAL, INC.

CAST IRON STEEL

471 Sutter Avenue, Brooklyn, New York 11207 • Tel:718-290-8005 • Fax:718-290-8046

www.leointernational.com

PIPES

CAST IRON STEEL



STEEL PIPES



- •TBE (Threaded Both Ends)
- •PEB (Plain Ends SCH40)
- •T&C (Threaded Both Ends)
- *LW (Groove x Groove SCH10)

SCH10 **Grooved End**

Size	Lengths per Bundle	Size	Leng pe Bur
2"x10	26	1/2"x10	12
2½°x10	18	%"x10	8
3*x10	14	1"x10	6
4*x10	10	1 1/4"x10	4
5*x10	10	1 1/2"x10	3
6*x10	7	2"x10	2
25x21	26	2½*x10	1
2 1/2"x21	18	3"x10	1
3*x21	14	4"x10	1
4*x21	10		Α
5 5 21	10	PIB	
6*x21	7		

PEBS10

8°x21

7

SCH40 TBE

	Size	Lengths per Bundle
ſ	½*x10	120
ſ	¾*x10	84
	1"x10	60
	1 1/4"x10	42
I	1 1/2"x10	36
1	2"x10	26
	2½"x10	18
	3*x10	14
Į	4"x10	10

SCH40 PEB

Size	Lengths per Bundle
2½*x10	18
3*x10	14
4*x10	10
5*x10	10
6*x10	7
8*x10	7
½*x21	120
¾"x21	84
15/21	60
1 1/2 21	42
1 ½ x21	36
2"x21	26
3*x21	14
4°x21	10
5°x21	10
6°x21	7
8*x10 ½*x21 ½*x21 1*x21 1 ½*x21 1 ½*x21 2*x21 3*x21 4*x21 5*x21	7 120 84 60 42 36 26 14 10

7

SCH40 T&C

Size	Lengths per Bundle
½*x21	120
%x21	84
1°x21	60
1 1/2 1	42
1 ½°x21	36
2"x21	26
3*x21	14
4"x21	10
5*x21	10
6*x21	7
8*x21	7

LEO INTERNATIONAL, INC.

8°x21



CAST IRON PIPES



ASTM A888 A74 No-Hub & Extra Heavy & Service Weight Pipes


* UPC® Approved





NO-HUB

SINGLE HUB



LEO INTERNATIONAL, INC.

BRASS PIPE NIPPLE



Sizes: 1/8"-4"

25 pieces in a box

Part #NPBsize

CHROME PIPE NIPPLE



Sizes: 1/8"-4"

10 pieces in a box

Part #NPCsize

BLACK STEEL NIPPLE



Sizes: 1/8"-4"

25 pieces in a box

Part#NBLsize

GALVANIZED STEEL NIPPLE



Sizes: 1/8" – 4"

25 pieces in a box

Part#NGLsize

Also available:

Left & Right Black
Nipples & Couplings



Part#NBL___RL #MO14BC__RL Sizes: 1/2" - 2"

	NOTES
DATE	DESCRIPTION
6	
4.	
c :	
4	
\rightarrow	
Name of the last o	

HEATING

TUBE-RAY®
LOW-RAY®
SUN-RAY®SUN-RAD®
CONVECTORS™

HEATING


TUBE-RAY®
LOW-RAY®
SUN-RAY®SUN-RAD®
CONVECTORS™

TUBE-RAY®

Manufactured of Cast Iron



Size	A	B&C	B	E	F	H
4X19	19"	4-15/16"	2-1/2"	1-1/16	15-7/16"	17-13/16"
4)(25	25"	4-1/16"	2-1/2"	1-1/16	21-7/16"	23-13/16"
6025	25"	6-7/16°	2-1/2"	1-1/16	2-7/16"	23-13/16"



Center leg section furnished on 30 section and larger.

Tappings-Top 1" Bollom 1 %". All Air Vents Tappings %".

Healing surface based upon the standard heal emission of 240 BTU per square foot per hour. Maximum working pressure; 19th steam, 30th water.

Size in Sections	4	6	8	10	12	14	16	18	20	22	24	26	28	30
Length in 1 %7 Section	7	10%	14"	17%	21"	24 1/2"	28"	31 %	35"	38 1/2"	42"	45%	49"	52 %
Sq. Ft. EDR-Estimated 4 Tube -19" High	6.4	9.6	12.8	16.0	19.2	22.4	25.6	28.8	32.0	35.2	38.4	41.6	44.8	48.0
4Tube - 25° High	8	12	16	20	24	28	32	36	40	44	48	52	56	60
6Tube - 25' High	12	18	24	30	36	42	48	54	60	66	72	78	84	90

LOW-RAY Manufactured of Cast Iron 9 %: Side View Front View Rear View Left End Sections 18" or 24" Intermediate: Sections 24" Right End Sections 12" or 24" Panel 18" or 24"





SUN-RAY/SUN-RAD

Manufactured of Cast Iron

 Increase radiator size 10% when recessed.

20" x 5"





All Air Vent Tappings 1/8" All Bottom Tappings 1 1/8" Recess should be 1/2" longer and 1/4" higher

20"

5

1-7/8"

2-3/4"


Size in sections	4	6	8	10	12	14	16	18	20	22	24	26	28	30
Length 2 %"/ section	9	13 %	18"	22 %	27	31 %	36"	40 %	45	49 %	54"	58 %	63"	67 %
Sq Ft. per section 2.25 Estimate	9.0	13.5	18.0	22.5	27.0	31.5	36.0	40.5	45.0	49.5	54.0	58.5	63.0	67.5


LEO INTERNATIONAL, INC.

CONVECTORS

W.

CONVECTORS






* Available without bottom vent.

PIPING CONNECTIONS



ONE PIPE STEAM
Bottom Supply


HOTWATER
Bottom Supply and
Bottom Return





VAPOR SYSTEM Bottom Supply and Bottom Return

VAPOR SYSTEM Bottom Supply and Bottom Return



The type FG is similar to the type F except that a lower air intake grille has been added. The lower flange permits one to mount this convector on the rough flooring if desired without interfering with the front panel.

Hot Water Capacities

Average Water Temp. 180°F

						LEN	STH				
20"	4"	1.6	20	23	2.6	3.0	33	3,1	1.0	LB.	5.5
	E"	23	28	3.0	39	15	5.1	5.6	6.1	12	83
	1"	3.0	3.6	1.3	5.1	58	6.5	12	19	93	10.7
	10"	32	13	1.B	5.6	6.3	7.1	19	8.1	10.3	119
24"	4"	1.3	2.1	25	29	33	3.7	4.1	1.5	53	6.1
	£"	25	32	38	13	19	5.6	6.1	6.7	19	92
	10	32	39	L3	5.t	62	69	1.3	B.L	10.0	115
	10 %	35	13	5.1	60	6.8	1.1	85	9.1	11.1	128
32"	4º	1.8	22	2.3	3.1	3.5	39	1.3	IJ	5.6	6.1
	£"	2.1	3.1	10	L3	5.3	60	6.6	12	8.6	99
	T ⁿ	33	1.1	19	5.1	6.5	13	B.1	89	10.5	12.1
	10"	3.6	1.5	53	62	3.1	80	89	9.3	11.5	13.3

Steam Capacities

Sq. Ft. EDR-215° Steam-65° Inlet Air

						LEN	ETH .				
20"	4"	11.0	13.5	16.0	18.0	20.5	23.0	25.5	28.0	33.0	38.0
	5"	16.0	19.5	23.5	27.0	31.0	35.0	38.5	125	500	51.5
	1"	20.5	250	30.0	35.0	100	150	50.0	51.5	61.5	11.5
	10"	22.0	27.5	33.0	385	11.0	195	55.0	605	115	825
24"	4"	12.0	11.5	17.5	20.0	23.0	25.5	28.5	31.0	36.5	125
	En.	18.0	220	26.0	30.0	35.0	385	125	46.5	550	63.5
	1"	72.5	27.0	325	37.5	11.0	48.0	535	58.5	695	80.0
	10"	21.5	30.0	35.5	115	180	535	59.0	65.0	110	88.0
32"	4"	12.5	15.5	18.5	21.5	21.0	27.0	30.0	32.5	38.5	us
	£"	19.0	23.5	28.0	325	37.0	115	160	50.0	595	81
	1"	23.0	28.5	31.0	39.5	150	50.5	56.0	62.0	130	81.5
	10"	25.0	310	37.0	130	49.0	55.5	61.5	ត 5	800	920

	NOTES
DATE	DESCRIPTION
6	
4.	
c :	
4	
\rightarrow	
Name of the last o	



LEO INTERNATIONAL, INC.



LEO INTERNATIONAL, INC.

471 Sutter Avenue, Brooklyn, New York 11207 • Tel:718-290-8005 • Fax:718-290-8046

www.leointernational.com







Crimp Ring

Part#PEXCR<u>size</u> Sizes: ½°, ¾°

Pex Tee



Sizes	Part#
½" x 300ft.	PEXO12300
%" x 300fL	PEXO58300
%" x 300ft.	PEXO34300
½" x 500ft.	PEXO12500
%" x 500fL	PEXO58500
%" x 500ft.	PEXO34500
½" x 1000ft.	PEXO121000
%" x 1000ft.	PEX0341000

Oxy Pex Tubing



Part #PEXOsize



Pex X Male Copper Adapter

Part #PEXMASsize Sizes: 1/2, 3/4



Pex X Fernale Copper Adapter

Part #PEXFASsize Sizes: 1/2, 3/4



Pex X Male Copper Elbow

Part #PEXMSEsize Sizes: 1/2" - 3/4"



Pex X Female Copper Elbow

Part #PEXFSEsize Sizes: 1/2" - 3/4"



Pex Elbow

Part #PEXEsize Sizes: 1/2" - 3/4"



Pex X Pex Ball Valve

Part#BVPEXsize Sizes: 1/2", 3/4"



Pex X Female IPS Drop Ear Elbow

Part#PEXFDE12



Copper Sweat X Pex Ball Valve

Part #BVPEXC<u>size</u> Sizes: ½*, ¾*

LEO INTERNATIONAL, INC.



Pex x Female IPS Adapter

Part#PEXFA12



<u>Pex x Male</u> <u>IPS Adapter</u>

Part#PEXMA12



Pex Coupling

Part #PEXCsize Sizes: 1/2" - 3/4"



Pex Plug

Part#PEXP<u>size</u> Sizes: ½*, ¾*




Pex Cinch Clamp Tool





Part #PEXCC

Pex Manifold



LEO INTERNATIONAL, INC.

471 Sutter Avenue, Brooklyn, New York 11207 • Tel:713-290-8005 • Fax:718-290-8046

www.leointernational.com





VAL VES

PRIME FLOW ™
Y-STRAINERS
BRASS GATE
ELSTER AMCO
OSY VALVES
CAST IRON OSY GATE
GROOVED FITTINGS

VAL VES

PRIME FLOW ™
Y-STRAINERS
BRASS GATE
ELSTER AMCO
OSY VALVES
CAST IRON OSY GATE
GROOVED FITTINGS

PRIME-FLOW



Brass Full Port Ball Valve IPS 600 WOG • 150 SWP

100

Dimensions: Millimeters

1 Inch = 25 4mm

PSBALL VALVE				
97E	L	A	В	C
W*	43	41	88	10
3/8"	43	41	**	10
W."	52.6	47	**	15
**	50.4	54	110	20
1"	73.5	58	110	25
1%*	83	71	145	32
1 1/2"	92	76	145	40
2"	183	83	145	50
21/2"	136	117	235	65
3"	148	125	235	75
4PT	185	146	264	99



SPECIFICATIONS: Working Pressure Non-Shock (PSI) Saturated Steam.......150 Cold Water, Oil, Gas...600

PART#BVsizel

Brass Full Port Ball Valve CxC 600 WOG • 150 SWP

Dimensions: Millimeters 1 Inch = 25.4mm

Material of Valve Parts

DADT	THEM.	lai-aC
PART	#HDV	Sizes

C±C BALL VALVE				
SVE	L	A	В	C
% "	56.8	47	**	15
X*	71.5	54	110	20
17	84	58	110	25
1 1/4"	105	71	145	35
11/2"	113	76	145	40
2"	136	83	145	50
21/2"	161	106	200	65
207	493	436	200	76

143



SPECIFICATIONS: Working Pressure Non-Shock (PSI) Saturated Steam.......150 Cold Water, Oil, Gas...600

LEO INTERNATIONAL, INC.

250







3/4" Circulator Valve w/ Drain

Circulator Valve



3/2" Ball Valve with Drain



CXC

Part#: BV34SWD12

IPS

Part#: BV34IWD12

LEO INTERNATIONAL, INC.

471 Sutter Avenue, Brooklyn, New York 11207 • Tel:718-290-8005 • Fax:718-290-8046 www.leointernational.com

PRIME-FLOW[™]




HEAVY PATTERN

BRASS RADIATOR STEAM ANGLE VALVE #700

DIMENSIONS

SIZE	A	B-OPEN
%"	265	3.15
1"	295	3.40
1%	3.30	3.90
1%"	6.55	8.50





* Working Pressure (PSI) non-shock - Hot Water - 60 PSI -Seturated Steam - 15 PSI


PART # BRSAsize

HEAVY PATTERN

BRASS RADIATOR STEAM GATE VALVE #800

DIMENSIONS

SIZE	A	B-OPEN
1"	2.90	4.10
1%	3.25	4.65






* Working Pressure (PSI) non-shock - Hot Water - 200 PSI -Seturated Steam - 125 PSI

HEAVY PATTERN

BRASS CONVECTOR STEAM ANGLE VALVE #400

DIMENSIONS

SIZE	A	B-OPEN
1"	2.90	4.10
1%	3.25	4.65





PART # BCSAsize

* Working Pressure (PSI) non-shock-Hot Water - 60 PSI - Saturated Steam - 15 PSI LEO INTERNATIONAL, INC.



HEAVY PATTERN BRASS HOT WATER ANGLE VALVE #500

DIMENSIONS


#500- C...CxC Connection

SIZE	A	B-OPEN
%°	2.20	2.75
3/4°	2.55	2.90

#500-1...IPS Connection

SIZE	A	B- OPEN
И.	2.20	2.75
%	2.55	2.90

^{*}Working Pressure (PSI) non-shock - Hot Water - 60 PSI



Part #BRWAsizel (IPS) BRWAsizeC (CxC)

HEAVY PATTERN BRASS UNION ELBOW #300


DIMENSIONS

#300-C...CxC Connection

SIZE	A	B-OPEN
%"	2.20	1.25
%"	245	1.50

#300-1...IPS Connection

SIZE	A	1.05 1.20			
ж.	240				
%	2.70				





Part#BRUEsizel (IPS) BRUEsizeC (CxC)

* Working Pressure (PSI) non shock - Hot Water- 64 PSI - Saturated Steam - 15 PSI

GAS BALL VALVE



CSA APPROVED

Part#GBVsize

Sizes: 1/2", 3/4", 1"

LEO INTERNATIONAL, INC.

1/4" T-Handle Ball Valve



Part# BV14T

T-Handle Balancing Ball Valve



Part#: BBVsizeST Sizes: 1/2 & 3/4

3/2" Balancing Valve w/Screw





Part#BBV34SS

3/4" Balancing Valve w/Union End



*Also available with T-Handle

Part#BBV34UT

1/4" Pet Cock Valve



Part#BVPC14

Frost Free Sill Cock



Part#FFSCsize Sizes: 8" - 12"

Swing Check Valve



CXC



P\$

Part #Cvsize S (CxC) Sizes: 1/2" - 4
#Cvsize I (IPS)

LEO INTERNATIONAL, INC.



Y-STRAINERS

Bronze Y Strainer



Part #BYSIsize... IPS (Threaded) #BYSCsize... CxC (Sweat)

Sizes: 1/2" - 2"



Cast Iron Y Strainer

Threaded

Part#: CYST<u>size</u>... IPS Sizes: ½" - 3"



Flanged

Part#: CYSF<u>size</u>... CxC Sizes: 2 ½" – 8"

LEO INTERNATIONAL, INC.

471 Sutter Avenue, Brooklyn, New York 11207 • Tel:718-290-8005 • Fax:718-290-8046

www.leointernational.com

Di-Electric Unions





Part#DEUM<u>size</u> (Male) DEUF<u>size</u> (Fernale) Sizes: ½° & ¾°

1/4" Automatic Hot Water Air Vent



Part #AAV18

1/2" Air Valve





Part #AV18A (Angle) AV18S (Straight)

1/4" Winner Air Valve



Part#H4018A

Oil Fill Box w/ Brass Plug





Part#: OFB<u>size</u> Sizes: 2" & 3"

Pig Tail



Part#	Description			
PT /	Black Straight Pig Tail			
PTA	Black Angle Pig Tail			
РТВ	Brass Straight Pig Tail			
РТВА	Brass Angle Pig Tail			

1-1/4" Vent Cap w/ 1/8" Tap





Part#M014BVCA114

Air Purger



Part#APsize Sizes: 1*, 1 1/4*

LEO INTERNATIONAL, INC.



Backflow Preventer



Part #CONBVsizel Sizes: 1/2", 3/4"



Circulator Flange Kit





Bolt, Nut, & Washer Pack/ Set #150

Part #BNWsize Sizes: 2" - 6"

Dirt Pocket Cap



Swivel and Nut



Part#SN20LT

Angle Globe Valve



Globe Valve



Part#SVAsizeS (CxC) SVAsizel (IPS)

Size: 1/2" & 3/4"

Part #SVSsizeS (CxC) SVSsizel (IPS) Size: 1/2" & 3/4"

Long Stem Angle Globe Valve



Long Stem Globe Valve



Part#SVALSsizeS (CxC) SVALSsizel (IPS) Size: 1/2" & 3/4" Part#GLSsizeS (CxC) GLSsizel (IPS) Size: 1/2" & 3/4"

Ball Style Boiler Drain



Male Boiler Drain





Part #BDMsize Size: 1/2" & 3/4"

Brass Long Stem Gate Valve

Part Size 1/2" #GVLS12S **#GVLS34S** CXC



Size Part #GVLS12I 1/2" 3/4 #GVLS341

IPS



LEO INTERNATIONAL, INC.



BRASS GATE VALVES

200 WOG




Brass IPS Gate Valve

Brass CxC Gate Valve

Part #GV<u>size</u>I (Threaded), #GV<u>size</u>S (Sweat) Sizes: ½* - 4*

MATERIA	U. SPECIFICATION
PART	MATERIAL
BODY	BRASS
BONNET	BRASS
STEM	BRASS
PACKING NUT	BRASS
DISC	BRASS
IAND WHEEL	CASTIRON
WHEELNUT	BRASS
LOCKNUT	BRASS
GLAND	BRASS
PACKING	ASBESTOS FREE GRAPHITE

Constructed of heavy duty cast brass. Body and bonnet are connected with a tight metal to metal leak-proof seat. Screwed bonnet, non-rising stem, solid wedge disc, and integral seats. Non-steam use in residential and commercial applications.



ELSTER AMCO Water Meters

Approved by New York City DEP







Part #ABBT3000size Sizes: 1 1/2" - 6"





Part #ABBS130size Sizes: 34" & 1"

Single Jet Meter



Pit Meter/ Encoder Register 6D




Part#ABBC700Psize Sizes: 5/8" - 1"



Compound Meter

Part #ABBC3000size Sizes: 2" -8"

LEO INTERNATIONAL, INC.



*Available in Long & Short patterns



Part#: 020MCsize Sizes: 1/2" - 1"



Part#: 020MCsizeS Sizes: 3/4", 1"

Bronze Companion Flange



Part #020CFSsize (CXC) 020CFsize (IPS) Sizes: 1/2" - 6"

Bronze Meter Flange




 AWWA/CC- AWWA Standard Thread-steepertaper than Male National Pipe Threads

FNPT-Femaale National Pipe Thread-inside tapered thread •MNPT - Male National Pipe Thread-outside tapered thread

Part #020MFsizeS (CXC) 020MFsizel (IPS) Sizes: 1 1/2", 2"

Bronze Flared x Male Adapter



Sizes: 1" - 2"

Bronze Flared C x C Union



Part#FLRUsize Sizes: 1" - 2"

Bronze Flare Elbow



Bronze Pipe Clamp w/3 Steel Screws



BRONZE

BRONZE MAK-JOINT-PAC FITTINGS

COUPLINGS



Copperx Male MJPCCM



Copper x Female
MJPCCF



IPS x Male



IPS x Female



Copper x Copper MJPUC



IPS x IPS MJPUI



UNIONS

IPS x Copper MJPUIC

ELBOWS



Copper x Male MJPECM

Flare x Male

MJPEFM



IPS x Male MJPEM



Copper x Copper MJPEC



IPS x IPS MJPEI



6

4

Flare x Flare

Size Available

A CONTRACTOR OF THE PARTY OF TH									
	1/2"	3/4"	1"	1-1/4"	1-1/2"	2"	3/4" x 1"	1" x 3/4"	1-1/4" x 1"
COUPLING									
COPXMALE									
IPS x MALE	11000				N 7				
COPXFEMALE			: ■:						19
IPS x FEMALE						1	4		
UNIONS		y y			s se		8 8		
COP x COP		7 2				100		-	
IPS x IPS		/ -							
IPS x COP		e- 1							ĵ.
ELBOWS		100	75505	7			12905 1	- 2	
COPxMALE									3
IPS x MALE							1 1		Č.
COP x COP					A				
IPS x IPS		a							
Flare x MALE	ĵ	-		- 74				-	
Flare x Flare	"				7				



BRASS FITTINGS

<u>Tee</u>



Part #020T Sizes: 1/2" - 4" & Reducing Sizes

Plug Part #020P

Part #020P Sizes: 1/8"- 4"

Bushing



Part #020B Sizes: 1/2" - 4"

<u>Union</u>



Part #020U Sizes: 1/6" - 3"

IPS Flange



Part #020CF Sizes: 1/2" - 6"

CxC Flange



LEO INTERNATIONAL, INC.

471 Sutter Avenue, Brooklyn, New York 11207 • Tel:718-290-8005 • Fax:718-290-8046

www.leointernational.com

Bronze Mono-flow Tee



Part #020MFT Sizes: 1x1/2 1-1/4x3/4 1x3/4 3/4x1/2

Bronze Drop Ear Elbow





Bronze CxC Drain Elbow



Part#020BBT34 Sizes: %x 1/3" x 3/3"

3/2" Copper x Male Nipple



Part #020SMU34

TPx Male Adapter



Part #TPEP Sizes: 1/2"-4"

TP x Copper Adapter



Part #TPXC Sizes: 1/2"- 4"

TPx Female Adapter



Part#TPC Sizes: 1/2"-4"

TPx Solder Adapter



Part#TPCS Sizes: 1/2" - 4"

BRASS FITTINGS



90° Elbow

Part #020E Sizes: 1/4" - 4" & Reducing sizes



45° Elbow

Part #02045 Sizes: 1/8"- 4"







Street 45

Part #020S45 Sizes: 1/8"- 4"

Coupling



Part #020C Sizes: 1/4" & Reducing sizes

Extension Coupling



Part#020EC Sizes: 1/2" & 3/4"

Reducing Coupling



Part #020RC Sizes: 14"-3"

Cap





Sizes: 1/8"- 4"

COPPER FITTINGS



90° Elbow

Part #COPE<u>size</u> Sizes: 1/2"-6"



45° Elbow

Part #COP45size Sizes: 36-6



Street Elbow

Part #COPSEsize Sizes: 1/4:- 6"



Street 45

Part #COPS45size Sizes: 1/2"- 4"



Reducing Elbow

Part #COPREsize Sizes: 1/2" - 2 1/2"



Coupling

Part#COPC<u>size</u> Sizes:**%***-6 and Reducing sizes





Part #COPFAsize Sizes: ½2-6*

Copperx Male



Part #COPMAsize Sizes: 1/2-6"



Part #COPT<u>size</u> Sizes: ½" −6"

Сар



Part #COPCAsize Sizes: ½"- 4"



Union

Tee

Part#COPUsize Sizes: ½*-4*

LEO INTERNATIONAL, INC.





ROADWAY BOXES SCREW TYPE







Part #039RWB

Cover

Glands

DUCTILE IRON GATE VALVE MECHANICAL JOINT







Part #DIGMJsize Sizes: 3", 4" & 6"

LEO INTERNATIONAL, INC.

OSY VALVES

Cast Iron OSY Flanged Gate Valve





Part#ClOSYsize Sizes: 2" - 12"



Part#BOSYsize

Sizes: 1" - 2"

Cast Iron Groove Check Valve



Part#GCV Sizes: 2" - 6"



*UL LISTED & ULC LISTED BY MAMUFACTURER



CAST IRON OSY GATE VALVES

Outside screw and yoke Flanged end



This series of bolted bonnet gate valves are outside screw and yoke type with Flanged ends. Two body-trim combinations: All-iron or iron body with bronze mountings (IBBM), the latter recommended for general use on steam, water, air, oil, and gas lines.

Body and bonnet Close-grained cast iron or a corrosion-resistant. 3% nickel iron alloy. Bolted bonnets. Flanged ends make valves easy to install or remove in general use or corrosive service. Two supporting webs between pipe flanges and body flange help strengthen valve against pipe line strain.

Stem Outside screw and yoke design places stem outside bonnet away from corrosive fluids. Acme standard threads with long engagement in yoke bushing. For all-iron valves Steel. Chemically treated with phosphate to inhibit rust.

For IBBM valves Manganese bronze in 2"- 12" sizes. "Sternalloy" in larger sizes. Resistant to wear, corrosion, embrittlement.

Discs Solid wedge design will not distort with temperature variations. For all-iron valves Iron, solid wedge. For IBBM valves Solid bronze in 2° and 2 1/2° size. Iron with bronze faces in 3° and larger sizes.

Seats Seat rings heavily constructed and rectangular in section, renewable if needed. Seat face inner rings seat against solid walls of body recess.


For iron valves Screw in, iron seat rings.

For IBBM valves Screw in bronze seat rings.

Repacking Swing gland bolts and shelves facilitate repacking. Large stuffing boxes; repackable under pressure when wide open.

Dimensions in inches Weights in pounds

Size	2		2 1/2	3	4	5	6	8	10	12	14	16	18	20	24
В	7		7 1/2	8	9	10	10 1/2	11 1/2	13	14	15	16	17	18	20
F	15 1/8	16	9/16	18 15/1	23 3/4	27 15/16	32 1/2	40 1/8	493/8	573/4					
H	8		8	8	10	12	12	14	16	18	20	24	26	28	30



GROOVED BUTTERFLY VALVES




Working Pressure: 175 PSI (12.5 Bars)
Max. Test Pressure: 350 PSI (25.0 Bars)
Max. Working Temp: 250 F (120 C)

Double Tamper Switch For Indoor Use Only.

MATERIAL OF	PRIMARY COMPONENTS
PART	MATERIAL.
BODY	ASTIM A-536 NYLON-11 COATED
DISC	ASTIM A-536 EPDIM ENCAPSULATED
UPPER & LOWER STEMS	AISI 420-SS
WORM GEAR SHAFT	AISI 410-SS
HOUSING	ASTIM A-536
HANDWHEEL	ASTIM A-536
FLAG INDICATOR	ASTIM A-536
SHEAR PIN	ASTIM A-510
SEGMENT GEAR	ASTM B-148
HOUSING GASKET	EPDM GRADE "E"
O-RINGS (ALL)	EPDM GRADE "E"





Grooved Butterfly Valves

Part #CIGBV<u>size</u> Sizes: 2 ½*, 3*, 4*, 6*, 8*

*UL LISTED BY MANUFACTURER

	DIMENSI	ONS		UMIT MCH ()					
SIZE (INCH)	A	В	С	D	E	F	6	н	
2%"	4.1(105)	3.3(85)	3.7(94.6)	2.9(73.0)	5.3(135)	5.3(135)	4.9(125)		
3"	4.4(112)	3.6(92)	3.8(96.4)	3.5(88.9)	5.6(142)	5.3(135)	4.9(125)		
4-	5.7(145)	4.3(108)	4.5(115.4)	4.6(116.2)	6.9(175)	5.3(135)	4.9(125)		
6"	7.1(180)	5.7(145)	5.3(133.4)	6.6(168.3)	8.3(210)	7.6(193)	8.9(225)	0.4(11.2)	
8-	8.0(204)	6.7(170)	5.8(147.7)	8.6(219.1)	9.1(232)	7.6(193)	8.9(225)	0.9(24.0)	

LEO INTERNATIONAL, INC.

	NOTES
DATE	DESCRIPTION
6	
4.	
c :	
4	
\rightarrow	
Name of the last	

FITLOK®

GROOVED FITTINGS SPRINKLERS CPVC SPRINKLER FITTINGS

FITLOK®

GROOVED FITTINGS SPRINKLERS CPVC SPRINKLER FITTINGS

GROOVED FITTINGS

FITLOK® F





90° Elbow

Part#GFE Sizes: 1 1/2" - 8"



45° Elbow

Part #GF45 Sizes: 1 1/2" - 8"



Tee

Part#GFT Sizes: 1 ½" - 8" & Reducing Sizes



Cross

Part#GFCS Sizes: 4" - 6"





Part#GFA Sizes: 2"-8"



Nipple Adaptor

Part#GF Sizes: 2"-8"



<u>Cap</u>

Part#GFCA Sizes: 2*-8*



Coupling

Part#GFC Sizes: 1 ½"- 8" & Reducing Sizes

LEO INTERNATIONAL, INC.



GROOVED FITTINGS

FITLOK®



Concentric Reducer



Part #GFCR Sizes: Reducing 2"-8"

Mechanical Tee U-Bolt Style Threaded



Part#GMTU

Mechanical Tee Grooved



Part#GMTG

Mechanical Tee Threaded



Part #GMITI

Mechanical Cross Tee Grooved



Part#GMCT Sizes: 3x2, 4x2, & 6x2

Mechanical Cross Tee Threaded



Part#GMCTI

Sizes: 4x2 & 6x2

LEO INTERNATIONAL, INC.





Upright Rough Brass Fire Sprinkler PART# SHURRB



Upright Polish Chrome Fire Sprinkler PART# SHURPC



Concealed Chrome Fire Sprinkler PART# SHCC



Horizontal Sidewal Polish Chrome Fire Sprinkler PART# SHHSWPC



Pendent Rough Brass Fire Sprinkler PART# SHPRB



Pendent Polish Chrome Fire Sprinkler PART# SHPPC

*UL LISTED & ULC LISTED BY MANUFACTURER





Grooved Check Valve

Manufactured of solid brass for use on sprinkler and standpipe systems. Includes ½" IPS plugged tap for installation of a system accessory such as a ½" ball drip.

Part #GCVsize Sizes: 3" & 4"

Spring Loaded Check Valve



Part#CVSLsizel Sizes: 1" & 2"

Bolt Packs



PART #	FLANGE	BOLT/MUT	
BNW212	2-1/2"	5/8 x 2-1/2	
BNW3	3"	5/8 x 2-1/2	
BNW4	4"	5/8 x 3	
BNW5	5	3/4 x 3-1/2	
BNW6	6"	3/4 x 3-1/2	
BNW8	8"	3/4 x 3-1/2	

ZINC PLATE BOLTS AND MUTS NON-ASBESTOS AND RUBBER GASKETS



Ball Drip

Part #BDsize Sizes: 1/2" & 3/4"

1/2" Ball Valve w/Cap & Chain



Part#BV12IHCC

Sprinkler Head Guard



Part#SHGR

0

Rubber Flange Gasket

Part #GASsize Sizes: 2" -8"



CPVC SPRINKLER FITTINGS



Flameblaze Tee

Part#CPVCT Sizes: 1" - 2"



Reducing Tee

Part #CPVCT1141B Sizes: 1 % x 1", 1 % x 1 x 1", 1%x1, 1% x1%

Female Adapter





Part#CPVCFA Sizes: 1 1/2", 2"





Part #CPVCB Sizes: 2 x 1", 2 x 1 1/2"



Flameblaze Elbow 90 degree

Flameblaze Fem ELL

Part#CPVCE Sizes: 1" - 2"



Flamebalze Elbow 45 degree

Part#CPVCE





Part #CPVCFE Sizes: 1 x 1/2"



Flameblaze Cap



Part#CPVCCA Sizes: 34" - 2"



Sprinkler Head Adapter



Sizes: 1 x 1/2"



Coupling

Part#CPVCC

^{*}ULLISTED & ULC LISTED BY MANUFACTURER

	NOTES
DATE	DESCRIPTION
6	
4.	
c :	
4	
\rightarrow	
Name of the last	

FITINGS

CAST IRON SPECIALTIES
FIXTURE CARRIER
NO-HUB
BLACK MALLEABLE
GALVANIZED MALLEABLE
CAST IRON STEAM
CAST IRON FLANGED
CARBON FORGED STEEL FLANGES
CARBON SEAMLESS STEEL WELDING
PVC

FITINGS

CAST IRON SPECIALTIES
FIXTURE CARRIER
NO-HUB
BLACK MALLEABLE
GALVANIZED MALLEABLE
CAST IRON STEAM
CAST IRON FLANGED
CARBON FORGED STEEL FLANGES
CARBON SEAMLESS STEEL WELDING
PVC

CAST IRON SPECIALTIES



SHOWER DRAIN

STRAINER TOPS

Description

039PCSR4 4" Round Polich Chrome 039PBSR4 4" Round Polish Brass 039PCSSQ4 4" Square Polish Chrome

4" Square Polish Brass 039PBSSQ4





DRAIN BODIES

Description Part # 2" No Hub 039SDCIB2 039SDCIB2I 2" IPS 039SDCIB3 3" No Hub

STRAINER TOPS

Part #	Description
039PCSR5	5" Round Polish Chrome
039PBSR5	5" Round Polish Brass
039PCSSQ5	5" Square Polish Chrome
039PBSSQ5	5" Square Polish Brass

6" Square Polish Brass

DRAIN BODIES

039PCSSQ6

039PBSSQ6

Description Part# 039FDCIB3 3" No Hub 039FDCIB4 4" No Hub

Clean-OutForFloorDrain 039PBC05 5" Polish Brass Clean-Out 039PCC05 5" Polish Chrome Clean-Out











FIXTURE CARRIER

Horizontal Single Adjustable Left

Carrier Filling

Horizontal Double Adjustable Carrier Fitting



Horizontal Single Adjustable Right Carrier Filling





Part#HSAL

Part#HSAR

Carrier Body w/ Hardware Part # CAB

Part#HAD







Part#	Description		
039LC411	Lavatory Carrier Floor Maounted w/ Concealed Arms		
039LC411WC	Lavatory Carrier Heavy Duty/ Wheel Chair w/ Concealed Arms		
039LC400	Lavatory Carrier Wall Mounted w/ Concealed Arms		
039LC400WC	Lavatory carrier Wall Mounted Heavy Duty/ Wheel Chair w/ Concealed Arms		
039UC311	Urinal Carrier		
VSAL	Vertical Single Adjustable Left Carrier Fitting		
VSAR	Vertical Single Adjustable Right Carrier Fitting		
VDA	Vertical Double Adjustable Carrier Fitting		
VSALWSO	Vertical Single Adjustable Left w/ Side Outlet Carrier Fitting		
VSARWSO	Vertical Single Adjustable Right w/ Side Outlet Carrier Fitting		
VDAWSO	Vertical Double Adjustable w/ Side Outlet Carrier Fitting		

LEO INTERNATIONAL, INC.

Service Sink **Cast Iron White Enamel**

Complete with Wall Hanger and U-Type Stainless Steel Rim Guard Holes on 8° Centers 22" x 18"

Part #ELJ2420150





Service Sink Faucet

Part #SSF350



Standard P-Trap Part #039PTsizeWCS



Sizes: 2" & 3"

Enamel Floor Sink

No-Hub Sink with Aluminum Dome. Strainer, and **Enamel Top Grate**







Enamel Top (%) *FULL also available

Aluminum Strainer

Part

#039ESS1283 12X12X8 Enamel Sink w/ 3" Outlet

#039ESS1284 12X12X8 Enamel Sink w/ 4" Outlet

#039ESST12 12X12 Enamel Top Grate ¾ Full #039ESST12F 12X12 Enamel Top Grate Full

LEO INTERNATIONAL, INC.



1 1/2" - 10"

NO-HUB FITTINGS



1/16 BEND NFS168



1/6 BEND MES68



18 BEND NFS188



14 BEND NFS14B



4x16x16 **CLOSET BEND** NFSCB1616



LONG SWEEP NESIS.



SHORT SWEETP NESSS



SIDEOUTLET BEND NESSOR



HEELBEND NESHB



TAP 14 BEND NFST14B



NESY



UPRIGHTWYE NESUY



CROSSWYE NESDY



TY NESTY



CROSSTY NESCTY



P-TRAP NESPT



TAP P-TRAP NESPIT



DOUBLE VENT TRAP NESOT




SINGLE VENT TRAP NESST



TAP TY NESTIY



· Plug for clean-out tee is sold separately.



D398P **BLIND CAP**



NESP





CROSSTAP TY NESCTIY

LEO INTERNATIONAL, INC.

Easy 7000 Left Hand

Also available in Right & Double NFS7000R-Right NFS7000D-Double



2" X 2" Long 1/4" Bend

Part#NFSL14B2

2" X 2" P-Trap w/ 2" Side Outlet in

Left & Right



Part# NFSPTT2SOL- Left NFSPTT2SOR- Right

2" X 1 1/2" Double Tap Ty



Part#NFSDTTY2112

2x 15 NH Vented Tub Wye



4x4x2x2x4Vent Closet w/ 2" Side





2" Double Vent Cross-Over



Also available in Left & Right NFSCO2L-Left NFSCO2R-Right Part#NFSCO2D

LEO INTERNATIONAL, INC.



1/16 Bend



1/6 Bend

Part#NFS16B Sizes: 1 1/2"- 4"

Part#NFS6B Sizes: 2"- 4"



1/8 Bend



1/4 Bend

Part#NFS18B Sizes: 1 1/2"- 10"

2", 3", 4", & 6" are UPOB Approved



Part#NFS14B

Sizes: 1/2"- 10"

2", 3", 4", & 6" are UPO® Approved



4x16x16 **Closet Bend**



Tap 1/4 Bend

Part# NFSCB1616



Part#NFS14BT Sizes: 1 1/2", 2x1 1/2"



Short Sweep

Part#NFSSS Sizes: 1 1/2" - 6"



Long Sweep

Part#NFSLS Sizes: 1 1/2"- 6"

LEO INTERNATIONAL, INC.

471 Sutter Avenue, Brooklyn, New York 11207 • Tel:718-290-8005 • Fax:718-290-8046 www.leointernational.com





Back Outlet Bend (Heel Bend)



Part #NFSHB Sizes: 3x2 & 4x2 UP00 Approved



Side Outlet Bend



Part#NFSSOB Sizes: 3x2 & 4x2 UPO@ Approved



WYE

Part#NFSY Sizes: 1 1/2" - 10"



3", 4", 6", 4x2, 4x3, 6x3, & 6x4 are UPO® Approved



Upright Wye



Part #NFSUY Sizes: 2"- 4"

3x2

4x2 4x3

UPO® Approved



Cross Wye

Part #NFSDY Sizes: 1 1/2" - 10"



<u>Ty</u>

Part#NFSTY Sizes: 1 1/2" - 10"





Cross Ty

Part#NFSCTY Sizes: 1 1/2" - 4"



Tap Ty

Part#NFSTTY

Sizes: 1 ½", 2", 2x1 ½" & Reducing Sizes

2" & 2x1 %" are UPO® Approved

LEO INTERNATIONAL, INC.







Part#NFSPTT Sizes: 1 1/2" - 2x1 1/2"

P-Trap





Part#NFSPT Sizes: 1 1/2"- 4"

2", 3", & 4" are UPO® Approved

Double Vent Trap




Single Vent Trap



Blind Cap



Part#NFSP Sizes: 1 1/2" - 8"



Clean-Out Tee w/ Brass Plug



Part #NFSCOT (tee) 039BP (plug)

Sizes: 2"-8"



* Plugs are sold separately

Long Turn TY (Combo Y & 1/4 Bend)





Cross Tap Ty

Part #NFSCTTY
Sizes: 1 1/2", 2", 4x2



Cast Iron No-Hub Area Drain



Part# NFSFD Sizes: 2" -4"

Brass Clean-Out Deck Plate



Part# 039CODP Sizes: 3" - 6"

Cast Iron No-Hub Extra Heavy Floor Drain



Part#039FDXH Sizes: 2" -4"

Cast Iron No-Hub Bell Trap



Part# 039BT Sizes: 2" -4"

No-Hub Clean Out Body



Part# 039COB Sizes: 2" -6"

<u>Cast Iron No-Hub</u> <u>Adjustable Floor Drain</u>



Part #039AFD Sizes: 3*, 4*

Cast Iron Roof Drain

4" Cast Iron Extra Heavy Roof Iron







Part# 039RI4

12" Cast Iron Slop Sink





Part# 039SS12



Part #039BV Sizes: 2" -6"

Brass Clean Out Plug

Combination Trap & Tee 4"x 3"



Part# 039BP Sizes: 2" -6" w/ Brass Plug



Part# NFSCTT43

•Also available Counter Sunk Clean Out Plug in 2" to 6" Part #039BPCS

No Hub Ferrule w/ Brass Plug

Part#NFSF Sizes: 2" - 6"

Cast Iron Square Grate



Part# 039SFG Sizes: 6" - 12"

LEO INTERNATIONAL, INC.

471 Sutter Avenue, Brooklyn, New York 11207 • Tel:718-290-8005 • Fax:718-290-8046

www.leointernational.com

Galvanized P-Trap



Part#039GPT Sizes: 1 1/2", 2"

Cast Iron P-Trap Standard w/ Polish Chrome Strainer





4" Cast Iron No-Hub Offset Floor Flange



Sizes: 3x2, 4x2, 4x3, 4x4



Part#039NHIFTC42



Part#NFSTAA Sizes: 2x1 1/2", 1 1/2"

LEO INTERNATIONAL, INC.



No-Hub Pipe Repair Clamp

Cast Iron Tapped Tee Saddle w/ U-Bolt





Part#039TS Sizes: 3x2, 4x1 1/2, 4x2, 4x3

Cast Iron Tub Wedge



Part#039TW

Cast Iron Boiler Tube Plug



Lead Fit All Plug



4" Lead Repair Collar



LEO INTERNATIONAL, INC.

471 Suiter Avenue, Brooklyn, New York 11207 • Tel:718-290-8005 • Fax:718-290-8046 www.leointernational.com

Part#LFA

Hub Gasket



Part #TSG (Service Weight) or TSGX (Extra Heavy) Sizes: 2" -8"

No Hub Coupling



UPC Approved

Part #NHC Sizes: 1 1/2" -6"

Jim Cap



Part#JM Sizes: 1 ½" - 6"

Extra Heavy No Hub Coupling



Part#NHCH Sizes: 2"-10"

Sump Pump Valve



Part#SPCV Sizes: 1 1/2" - 4"

Test Plug



Part #039TP Sizes: 2" - 4"

Cast Iron Extra Heavy No Hub Coupling



Part#MG Sizes: 2" -8"

Flexible Coupling



Part #FERC Sizes: 1 1/4" - 6", 1 1/4"x1 1/4", 2x1 1/4", 2x3, 3x2, 4x2, 4x3, 5x3, 5x4, 6x2, 6x4

LEO INTERNATIONAL, INC.

	NOTES
DATE	DESCRIPTION
6	
4.	
c :	
4	
\rightarrow	
Name of the last	

CLEVIS HANGER
ADJUSTABLE SWIVEL BAND
RISER CLAMP
CEILING PLATE
BEAM CLAMP
KINDORF
THREADED ROD
PIPE CLAMP
SUSPENSION CLAMP

CLEVIS HANGER
ADJUSTABLE SWIVEL BAND
RISER CLAMP
CEILING PLATE
BEAM CLAMP
KINDORF
THREADED ROD
PIPE CLAMP
SUSPENSION CLAMP



Clevis Hanger



Part#HANC (Black) HANC<u>size</u>C (Copper) Sizes: Range 1 ½"- 10"

Adjustable Swivel Band



Part #HANB Sizes: Range ½*-6*

Riser Clamp



Part#HANR (Black) HANCR (Copper) Sizes: Range 1/2"-6"

Kindorf Strap

Part#HANK (Galvanized)
HANKC (Copper)
Sizes: Range ½"-6"

Coach Screw



Part#HANCS (Black)

Sizes: 3/8 & 1/2"



Part #HANSTRG (Galv) COPSTR (Copper)

Sizes: Range 1/2"-2"

Rod Coupling



Part #HANRC Sizes: 38 & 1/2

#HA

Band Iron

Part #HANBIB (Black) #HANBIC (Copper) #HANBIG (Galvanized)



Ceiling Plate



#HANCPB (Black) #HANCPG (Galvanized)

Beam Clamp



Part #HANCCsize Sizes: 3 8 1/2"

3/8" Side Angle Knee Bracket



Part#HANKB

Side Beam Bracket



Part#HANSBB Sizes: 3 & 1/2"

Flat Steel Washer



Part#HANW Sizes: 3 - 34

Steel Nut



Part#HANN Sizes: 34" - 34"

Double Expansion Shield



Part #HANDES Sizes: 3 - 1/2"

Drop-In Anchors (Zinc Plated)



Part#HANDI Sizes: 1/2", 3/4"

LEO INTERNATIONAL, INC.

471 Sutter Avenue, Brooklyn, New York 11207 • Tel:718-290-8005 • Fax:718-290-8046 www.leointernational.com

Threaded Rod (6 feet)



PART# HANTR

Sizes: 14" - 1"

KINDORF



Available in:

Pipe Clamp

Metal Stud Insulator

Suspension Clamp



Part#HANPTHCsize Sizes: 1/2*, 3/4*



Part#HANPSIsize Sizes: 1/2", 1/4", 1"



Part#HANPSCsize Sizes: 1/2", 3/4", 1"

BLACK MALLEABLE FITTINGS



90° Elbow

Part#M014BE Sizes: 1/2" - 4" & Reducing Sizes



45° Elbow

Part #M014B45 Sizes: 1/3"-4"





Part#M014BSE Sizes: 1/8"-4"



Street 45

Part #M014BS45 Sizes: 1/8" - 4"



Coupling

Part#M014BC Sizes: 1/8"- 4"



Reducer

Part#M014BR Sizes: 1/8"-4"



Union

Part#M014BU Sizes: 1/8"- 4"



Cap

Part#M014BCA Sizes: 1/8"-4"



<u>Tee</u>

Part#M014BT Sizes: 1/2" - 4" & Reducing Sizes



Plug

Part#M014BP Sizes: 1/4" - 4"

LEO INTERNATIONAL, INC.

471 Sutter Avenue, Brooklyn, New York 11207 • Tel:713-290-8005 • Fax:713-290-8046

www.leointernational.com

GALVANIZED MALLEABLE FITTINGS



90° Elbow

Part#M014GE Sizes: 1/2" - 2 1/2"



45° Elbow

Part#M014G45 Sizes: 1/2" - 2"

Tee



Street 45° Elbow

Part #M014GS45 Sizes: 1 1/4"- 2"



Part#M014GT Sizes: 1/2" - 2"



Coupling

Part#M014GC Sizes: 1/2"- 2 1/2"



Reducer

Part#M014GR Sizes: 2x1-1/2



Plug

Part#M014GP Sizes: 1/2"- 4"



Union

Part#M014GU Sizes: 1/2" - 2 1/2"



CAST IRON STEAM FITTINGS



Steam Elbow Part #014SEsize Sizes: 1" – 4"



LISTED APPROVED

Steam Tee Part #014STsize Sizes: 1" - 4"



Reducing Elbow Part #014STsize Sizes: 1" -4"



Reducing Tee Part #014STsize Sizes: 1" - 4"



45 Degree Elbow Part #014S45size Sizes: 1/2" - 4"



Heel Tee Part#014ST<u>size</u> Sizes: 1" - 4"



Steam Coupling
Part #014SCsize
Sizes: 1" - 4"



Bull Head Tee Part#014STsize Sizes: 1" - 4"

CAST IRON FLANGED FITTINGS





Part#CIFT Sizes: 2 1/2" - 8"

Flanged Union Threaded



Part#014SFU Sizes: 1 1/2" - 4"





Sizes: 2 1/2" - 8"

Flanged 45



Part#CIF45 Sizes: 2 1/2" - 8"

Cast Iron Threaded Companion Flanges #125



Part#014CF Sizes: 2"-6"

Flanged Reducing Tee



Part#CIFTsize Sizes: 2 1/2" - 8"

Concentric Reducer



Reducing Elbow



Part#CIF9size Sizes: 2 1/2" - 8"



CARBON FORGED STEEL FLANGES

Available in: Raised Face Flat Face 150 lbs. & 300 lbs.

Available in: Raised Face Flat Face



SLIP ON 1L1S (150lbs.) 1L3S (300lbs.)



WELD NECK 1L1W (150lbs.) 1L3W (300lbs.)



THREAD 1L1T (150lbs.) 1L3T (300lbs.)



BLIND 1L1B (100lbs.) 1L3B (300lbs.)



SOCKET WELD

1L1K(150lbs.)

1L3K(300lbs.)

LEO INTERNATIONAL, INC.

471 Sutter Avenue, Brooklyn, New York 11207 • Tel:718-290-8005 • Fax:718-290-8046

www.leointernational.com

CARBON SEAMLESS STEEL, WELDING FITTINGS



90 Elbow L Radius



Part#1F9LS Sizes: ½"-10" & REDUCING SIZES

Forged Steel O-Lets



Part #OT Sizes: 1 1/4" - 8"

45 Elbow L Radius



Part#1F4LS Sizes: 1/2"- 10"

Сар



Part#1FCS Sizes: 10"

Tee



Part #1FTS (STD) #1FRT (REDUCING) Sizes: 2"-12"

Concentric Reducer



Part#1FRC Sizes: 2"- 12"

Eccentric Reducer



Part#1FRE Sizes: 2"- 12"

90 Elbow S Radius



Part#1F9SS Sizes: 1"- 10"

LEO INTERNATIONAL, INC.

471 Sutter Avenue, Brooklyn, New York 11207 • Tel:713-290-8005 • Fax:713-290-8046



PVC FITTINGS



90° Elbow

45° Elbow

Part# PVCEsize Sizes: 1 1/2" - 6"

Part# PVC45<u>size</u> Sizes: 1 ½" - 6"

Street Elbow



Return Bend

Part# PVCSEsize Sizes: 1 1/2" - 6" Part# PVCRB<u>size</u> Sizes: 1 ½* – 6*

Ty



Wye

Part# PVCTY<u>size</u> Sizes: 1 1½" - 6", & Reducing sizes Part# PVCYsize Sizes: 1 ½" - 6", & Reducing sizes

Double Wye



Coupling

Part# PVCDY<u>size</u> Sizes: 1 ½, 2, 3, 4, 6, & Reducing sizes

Part# PVCC<u>size</u> Sizes: 1 ½, 2, 3, 4, & 6

Reducing Coupling



Fernale Adapter

Part# PVCR<u>size</u> Sizes: 1 ½"- 6" reducing sizes

Part# PVCFAsize Sizes: 1 1/2" - 6"

LEO INTERNATIONAL, INC.

471 Sutter Avenue, Brooklyn, New York 11207 • Tel:718-290-8005 • Fax:718-290-8046

Male Adapter



Trap Adapter



Part #PVCMAsize Sizes: 1 1/2" - 6"

#PVCTAMsize (male) **#PVCTAFsize (female)** Sizes: 1 1/2 & 1 1/2 x 1 1/4

Clean-Out Adapter




Part #PVCCOAsize #PVCCOAWPsize w/ Plug

Sizes: 1 1/2" - 6"

LA Trap

Part **#PVCLATRPsize** #PVCLAWADPsize (w/ adapter) #PVCLA2 (2" w/ union) Sizes: 1 1/2", 2", & 1 1/2 x 1 1/4

Clean-Out Tee w/ Plug



Part #PVCCOTsizeWP Sizes: 1 1/2" - 6"

Part #PVCBVsize Sizes: 1 1/2"- 4"

Toilet Flange



#PVCFF4PI.....4" PVC Push-In Floor Flange #PVCFMRH43...4x3 PVC Metal Ring Floor Flange Hub Male #PVCFMRH44...4x4 PVC Metal Ring Floor Flange Hub Male #PVCFMRS43...4x3 PVC Metal Ring Spigot Floor Flange Female


SCH40 PVC Pipe



Part #PVCPsize Sizes: 1 1/2" - 6"x10ft



Plastic Washing Machine Box w/Valves



Part#WMB

PVC SPECIALTIES











All Plastic Snap Drain

General Purpose Drain

w/Removable Stainless Steel Strainer

Plastic Snap-In Drain Shower Drain For **Tile Shower** Bases

No-Calk Shower Base Drain







Offset Closet Flange w/Metal Ring



Level Fit Closet Flange w/ Metal Ring



Backwater Valve

FAUCETS

TUBULAR SPECIALTIES
TRAPS
SUPPLY TUBES
VALVES - STOPS
HANDLES - SHOWER BODY
STEMS
REPAIR PARTS
SHOWER HEADS - SPOUTS
CLASSIC BRASS
EURO SERIES
METRO-LINE

FAUCETS

TUBULAR SPECIALTIES
TRAPS
SUPPLY TUBES
VALVES - STOPS
HANDLES - SHOWER BODY
STEMS
REPAIR PARTS
SHOWER HEADS - SPOUTS
CLASSIC BRASS
EURO SERIES
METRO-LINE

TUBULAR ™ SPECIALTIES



Extension with Nut





Part #TUBSJPC<u>size</u> (Polish Chrome) #TUBSJRB<u>size</u> (Rough Brass)

Sizes: 1 1/4 x 8, 1 1/4 x 12, 1 1/4 x 8, 1 1/4 x 12



Part #TUBOSPC size (Polish Chrome) #TUBOSRB size (Rough Brass)

Sizes: 1 1/4 & 1 1/2

TBE Tube

Zinc Nuts



Part #TUBTBEPC size (Polish Chrome) #TUBTBERB size (Rough Brass) Sizes: 1 1/4 x 8, 1 1/4 x 12, 1 1/4 x 18,

1 1/2 x 12, 1 1/2 x 18, 1 1/2 x 24



Part #TUBZNPC114 (1 1/2" Polish Chrome) #TUBZNRB112 (1 1/2" Rough Brass)



Part #TUBWB<u>size</u> Sizes: 6" - 36"



Part #TUBDTHE

11/2" Tailpiece



Part #TUBTPRBsize (Rough Brass) Sizes: 6" - 18"



Part # TUBQH size Sizes: 1 1/2 x 12, 1 1/2 x 24, & 1 1/4 x 24

LEO INTERNATIONAL, INC.

471 Sutter Avenue, Brooklyn, New York 11207 • Tel:718-290-8005 • Fax:718-290-8046



TUBULAR ™ SPECIALTIES



11/2" Slip Elbow



Part #TUBSEPCsize Sizes: 4" - 12" 1½" Tubular P-Trap



Part #TUBPTPC112WCO (w/ clean-out) #TUBPTPC112 (less clean-out)

11/2" S- Trap



Part#TUBST112

11/2" Utility P-Trap



Part #TUBUPTWC (w/ clean-out) #TUBUPTLC (less clean-out)

Bazooka



0

<u>Polywasher</u>

Part#TUBPW

Washing Machine Tee

IPS Style



Part#WTI

Washing Machine Tee

Slip Style



Part#WTC

1½ Cast Brass Slip Tee

w/ Nuts & Washers



New York Traps



Part #TRP2112.....2 x 1 1/2 RB w/ Clean-Out TRP112114......1 1/2 x 1 1/4 RB w/ Clean-Out TRPNY112...1 1/2 x 1 1/4 CP w/ Clean-Out

11/2" R.B. Low Seal Trap



2X 1 1/2" R.B. Swing Tee Trap



LA Traps

Part #TRPLALR 1 1/2 RB Less Clean-Out #TRPLALRS 1 1/2 RB w/ Clean-Out CxC X Slin #TRPLA2112WR 2 x 1 % RB w/ Clean-Out #TRPLAWC 1 1/2 x 1 1/4 CP w/ Clean-Out

Brass Compression Coupling



Part #BCCsizeS (short) #BCCsizeL(long)

Sizes: 1/2" - 2"

Cast Brass Shower Nut



Part#WN



Slip Nuts

Part #SNRBsize (rough brass) #SNPCsize (polish chrome) Sizes: 1 1/4, 1 1/2, & 1 1/2 x 1 1/4



11/2" STAINLESS STEEL GRAB BARS



Concealed Flanges

PART #GBsize Sizes: 12" - 48"

Polish Chrome Grid Drain




PART#GSBPC

Polish Chrome Offset Grid Drain



PART#GSOF

Polish Chrome P.O. Plug



Bath Trip Waste w/ Cast Shoe Polish Chrome

PART#TW

Polish Chrome Lavatory Pop-up





PART#SW



Delta Supply Tube





Part#: MSDLPCsize Sizes: 12" & 20"

Tank Supply Tube



Part#: MSTPCsize Sizes: 12" & 20"

Lavatory Supply Tube



Part#: MSLSPCsize Sizes: 12" - 36"

Stainless Steel Flexible Lavatory Supply



Part#: MFSLsize

Sizes: 12" - 72"

Part #: MFSLDsize (Delta Style)

Sizes: 12" & 20"

Stainless Steel Flexible Tank Supply



* Delta Style also available

Part#: MFSTsize Sizes: 12" & 20"

Stainless Steel Extension



Part#: MFSLEsize Sizes: 12" - 60"



Washing Machine Valve



Cast Brass Duo-Closing— Washing Machine Valve— Combination ½" MIP ½" Solder Inlet

Part #WMV

<u>%"x%"Ball Type</u> Straight Speedy Valve



Part #BSVS12l380

Compression Adapter Tee-Valve



Part #COMTsize Sizes: % x % & % x %

Polish Chrome Angle Stop



#SA12C38O (CxC) #SA12I38O (IPS)

Ball Type Angle Speedy Valve



Part

#BSV12C38O...<mark>½*Cx%*OD</mark>
Ball Angle Speedy Valve
#BSV12l38O....<mark>½*IPSx%*OD</mark>
Ball Angle Speedy Valve

½"X¾"OD Angle Speedy Valve w/ Extension Piece



Part#BSV12C38OWPCE

½"IPSx3/8"OD Polish Chrome Straight Stop



Part#SSS12l380

LEO INTERNATIONAL, INC.

471 Sutter Avenne, Brooklyn, New York 11207 • Tel:718-290-8005 • Fax:718-290-8046

www.leointernational.com

Gerber Style Sleeve



Part#GSLV

Gerber Style Deck Stern



Part# STMG15H (HOT) STMG15C (COLD)

Polish Chrome Universal Handles



Part #CHU

Gerber Style Faucet Handle



Part #GFH

Gerber Style Close Couple Kit



Part#CCKG

6" PC Shower Arm



Part#SHWA6

Gerber Style Seat



Part #GS

Gerber Style Wrist Blade Handle



Part#GWBH

Gerber Style Shower Handle



Part #GSH

G3VK

Rebuild

Kit

Rebuild Kit for Gerber Style 3 Valve **Shower Body**

Contents of Kit

2-Gerber Style Shower Stem

1-Gerber Style Diverter Stem

3-Gerber Style Seats

3-Gerber Style Sleeves

3-Gerber Style Escutcheons

2-Gerber Style Long Broach Handles

1-Gerber Style Long Broach Diverter Handle

Part#G3VK



Savoy Style Shower Stem

Savoy Style Shower Stem

w/ Sleeve



Part#STMSSHW



Part#STMSSHWWS

Price Pfister Style Shower Stern



Part#STMPSHW

Price Pfister Style Diverter Shower Stem



Part#STMPDSHW

Gerber Style Shower Stem



Part#STMG23

Gerber Style Diverter Stem



Part#STMG458

Central Style Shower Stem



Part#STMCSHW

Central Style Diverter Stern



Part#STMCSHWD

REPAIR PARTS

Metal Tank Handle







Gerber Style Escutcheon



Part#GSESC

Cast Brass Spuds



Part #SPUDsize Sizes: 1 1/2", 1 1/2x1 1/4, 1x34, 2x1 1/2, 2x1 1/4

Escutcheon Chrome Plated



Part# ESCsizeC (Copper) ESCsizel (IPS) Sizes: 1/2" - 2"

Escutcheons F&C Plates Split Ring PC



Part #FCPsize Sizes: 3/4 - 2 1/2"

Basin Cock



Jolly Bolts



Part#LSD

Rubber Flapper



Part#JB



Part#FRP

LEO INTERNATIONAL, INC.

471 Sutter Avenue, Brooklyn, New York 11207 • Tel:718-290-8005 • Fax:718-290-8046



Vacuum Breaker



Trip Lever Face Plate



Part#FLVBI

Part#TLFP

Cast Brass Shower Head

Polish Chrome



Part# SHS Small SHM Medium SHL Large

Plastic Shower Head Polish Chrome



Part#SHP

Die Cast Spout Polish Chrome



Part# TSDC **Tub Spout Die Cast TSDCWD** Tub Spout Die Cast w/ Diverter

Solid Cast Brass Spout

Polish Chrome



Part# TSSCB Tub Spout Solid Cast Brass **TSSCBWD** Tub Spout Solid Cast Brass w/ Diverter

Jiffy Shower Bar Flanges



7 Piece Socket Set



Part#SC7P

Classic Brass



European Styling

- Scald Guard
- Temperature Limit Stop
- Pressure Balanced
- Ceramic Cartridge
- Integral Stops
- Brass Waterway
- Single Lever Loop Handle
- Massage Shower Head
- CP Brass Shower Arm
- Die Cast Zinc Tub Spout
- Available for Back-to-Back Installations







Part#TSPB100C

* with Integral Stops





- Brass Water Way
- Brass Shower Arm
- Plastic Shower Head
- Die CastZinc Tub Spout
- Three Handles











EURO SERIE

The EURO SERIES has a unique and simple design, bringing classic elegance to your bath at affordable prices.










Part#ESTS





Widespread Faucet Lavatory





Part #FS8

Classic Brass **Utility Rinse Faucet**



Kitchen Faucet w/Spray





LEO INTERNATIONAL, INC.

471 Suiter Avenue, Brooklyn, New York 11207 • Tel:718-290-8005 • Fax:718-290-8046

CLASSIC BRASS®

Classic Brass



8" PC Deck Faucet Single Lever



Kitchen Deck Faucet

Part #IGK



8" PC Washerless Deck Faucet

Part #K8WC



8" PC Pull-Out Deck Faucet Single Lever

Part#KSPOS





4" PC Laundry Tub Faucet w/ IPS Spout

Part #4LT



Wall Mount Faucet w/ Soap Dish

Part #WMF312-12* #WMF308-8"

Service Sink Faucet (Heavy Duty)

Part#SSF350

LEO INTERNATIONAL, INC.

471 Sutter Avenue, Brooklyn, New York 11207 • Tel:718-290-8005 • Fax:718-290-8046



Classic Brass

4" PC Washerless Center Set w/ Pop-up



4" PC Brass Center Set w/ Pop-up



PART# 4WG

4" PC Washerless Single Handle w/ Pop-up



4" PC Center Set Loop Handle w/ Pop-up



4" PC Wrist Blade Faucet Less Pop-up





METRA LINE













LEO INTERNATIONAL, INC.

471 Suiter Avenue, Brooklyn, New York 11207 • Tel:718-290-8005 • Fax:718-290-8046

NOTES						
DATE	DESCRIPTION					
6						
4.						
c :						
4						
\rightarrow						
Name of the last o						

FIXTURES

DIAMOND SINKS™
KINGSMAN™
UNDERMOUNT
PEDESTAL SINKS
CLASSIC CABINETS™
CERAMIC SANITARY LAVATORIES
TOILETS & URINALS

FIXTURES

DIAMOND SINKS™
KINGSMAN™
UNDERMOUNT
PEDESTAL SINKS
CLASSIC CABINETS™
CERAMIC SANITARY LAVATORIES
TOILETS & URINALS

Diamond Sinks (





STAINLESS STEEL SINKS




Features:

- Exposed surfaces are polished to a lustrous, highlighted bright satin finish.
- IT'S HYGIENIC. When hygiene counts, stainless is the metal of choice.
 Many hospitals and other sterile environments prefer stainless.
 Stainless is the preference for the food preparation industry, restaurants and kitchens.

The Sound Guard Undercoating covers the bottom of the bowls to eliminate noise and vibration.

Α	В	C Depth	D Holes
15"	15"	6"	2
15"	15"	6"	3
15"	15"	8"	3
22"	17"	6"	3
25"	22"	6"	3
25"	22"	6"	4
25"	22"	8"	3
25"	22"	8"	4
33"	22"	6"	3
33"	22"	6"	4
33"	22"	8"	3
33"	22"	8"	4



*Fencets are sold separately



DIAMOND SINKS




STAINLESS STEEL UNDERMOUNTSINK KINGS WAN

- Single Bowl
- Size 23.5" X 21" X 9"
- 9" Deep
- 18Gauge Stainless Steel
- Mirror rim / Luster bowl finish
- Fits 30" Cabinet Part#SNK235219







Also Available:

BOTTOM GRID

Part#SNKBGD

42" STAINLESS STEEL SINK TOPS



Right Hand



UNDERMOUNT SERIES

HUGO™



Part # SNKU3151810 Size: 31.5" x 18" x 10"

BAILEY™



Part # SNKU23178 Size: 23" x 17" x 8"

BALBOÄ™ DOUBLE BOWL (Same Size)



Part # SNKU325188 Size: 32.5" x 18" x 8"

FRANKEË™ DOUBLE BOWL (Big & Small)



Part # SNKU321887BS Size: 32" x 18" x 8"

Stainless Steel Duo Strainer



Part#DSC

Stainless Steel Cup Style Duo Strainer



Part #DSCC

Cast Brass Excellent Duo Strainer



Part #DSCXL

Stainless Steel Flat Strainer

Part#DSCS



Stainless Steel Mesh Strainer

Part#MSM... 2 %" (Medium) MSL.....4 %" (Large)

LEO INTERNATIONAL, INC.

471 Sutter Avenue, Brooklyn, New York 11207 • Tel:713-290-8005 • Fax:713-290-8046



PEDESTAL SINKS



LEO INTERNATIONAL, INC.

471 Sutter Avenue, Brooklyn, New York 11207 • Tel:718-290-8005 • Fax:718-290-8046

www.leointernational.com

PEDESTAL SINKS



<u>Opel</u>™ 4" Spread Lavatory

22"x 17"




27"x 19" <u>Venus</u>™ 4" & 8" Spread Lavatories



Corine™ 22"x 18" Corner Pedestal







Part#	W	D	H
VANMISHAVC	24"	18"	31
VANMISHAVM	24"	18"	31
VANMISHATW	26"	19"	



Luxor Vanity

Part#	Description
VANCL2418C	Luxor Vanity Cherry Cabinet
VANCL1816C	Luxor Vanity Cherry Cabinet
VANCL2418M	Luxor Vanity Mahogany Cabinet
VANCL1816M	Luxor Vanity Mahogany Cabinet

Part#	W	D	H
VANCL2418C	24"	18"	31"
VANCL1816C	18"	16"	31"
VANCL2418M	24"	18"	31"
VANCL1816M	18"	16"	31"

Classic Cabinets™




Vanity Cabinet

* Extra Heavy Plywood Construction

Part#	Description
VANC1816	Oak 18x16 Vanity Cabinet
VANC2418	Oak 24x18 Vanity Cabinet
VANC1816W	White 18x16 Vanity Cabinet
VANC2418W	White 24x18 Vanity Cabinet
VANC2421W	White 24x21 Vanity Cabinet

Туре	W	D	Н
1 & 2 Door	18	16	30
1 & 2 Door	24	18	30
2 Door	24	21	30







LEO INTERNATIONAL, INC.





<u>Europa</u>™



Part #EUROPA Sizes: 36" x 21.3" x 38.6"

Dolly™



Part #DOLLY Sizes: 26.18" x 21.3" x 38.6"

Cultured White Marble Tops



Part#	Description
VANT1917W	19x17 White Marble Top
VANT2519W	25x19 White Marble Top

Medicine Cabinets



Part#	Description	Color
MC14170	14"W x 17"H x 3.5" D	Oak
MC17220	17"W x 22"H x 3.5" D	Oak
MC1417W	14"W x 17"H x 3.5" D	White
MC1722W	17"W x 22"H x 3.5" D	White

LEO INTERNATIONAL, INC.

CERAMIC SANITARY LAVATORIES





Wall Mount Sink
Part #POTSsizeW
Sizes: 17"x14", 18"x16"



Zen Part#ZEN Size: 19"x15"



Glory
Part#GLORY4
*Self-Rim Drop-In



Part#CLEOPATRA Size: 18*



Size: 19*

Flora
Part #POTFW Size: 22"x17"



Jade
Part#JADE Size: 18*

*Self-Rim Drop-In



China White Vanity Top Part #POTsizeTW Sizes: 19"x17", 25"x19", 25"x22"



Undercounter Lavatory
Part #CATO Size: 17"x14"

LEO INTERNATIONAL, INC.

471 Sutter Avenue, Brooklyn, New York 11207 • Tel:718-290-8005 • Fax:718-290-8046



TOILETS & URINALS



Lily '

Part#LILY White 1 Piece Toilet w/Seat and Mechanism



Sparta

Part#SPARTA

Size: 17.9" x 11.8" x 27.6"

LEO INTERNATIONAL, INC.

471 Sutter Avenne, Brooklyn, New York 11207 • Tel:718-290-8005 • Fax:718-290-8046

www.leointernational.com





LEO INTERNATIONAL, INC.

471 Sutter Avenue, Brooklyn, New York 11207 • Tel:718-290-8005 • Fax:718-290-8046

www.leointernational.com







ROTO TOOL



LEO INTERNATIONAL, INC.

471 Sutter Avenue, Brooklyn, New York 11207 • Tel:718-290-8005 • Fax:718-290-8046

www.leointernational.com

Tools & Accessories





Tubing Cutter



Part#
TCMIN...Mini
TCM.....Medium
TCL....Large

Part#WSBsize Sizes: 34" - 1 1/4"

Pipe Wrench



Part #HTPWsize Sizes: 10" - 36"



Part#BC

Rubber Mallet

Hammer



Part#HAM



Part#MAL

LEO INTERNATIONAL, INC.

471 Sutter Avenue, Brooklyn, New York 11207 • Tel:718-290-8005 • Fax:718-290-8046



6Ft_Stainless Steel Metal Washing Machine Hose



Part#MFSWM6

Rubber Washing Machine Hose



Part #WMHsize Sizes: 4" - 12"

Washing Machine Mixing Hose



Part #WMY

Double Shut-Off



Part#WWDYSO

Kitchen Spray



Part#SPRAY

Metal Hose Spray



Part Rubber Handle #GII 593 #GIL 573 Metal Handle #GIL571 Yellow Handle

Rubber Hose Coupling



Female Coupling

> Male Coupling


Rubber Hose Union



Part #WWU

LEO INTERNATIONAL, INC.

471 Suiter Avenue, Brooklyn, New York 11207 • Tel:718-290-8005 • Fax:718-290-8046 www.leointernational.com



LEO INTERNATIONAL, INC.

471 Sutter Avenue, Brooklyn, New York 11207 • Tel:718-290-8005 • Fax:718-290-8046

Part#HR9



Radiator Spud Wrench



Part#RSW

4-Way Sill Cock Key



Part#4WSCK

4-Way PO Plug Wrench





Part#ASW

Hydrant Adapter



Galvanized Pipe Repair Clamps

with bolts/rubber



Part #PRCsize

Sizes: 1/2" - 2"

Pipe Floor Flange



Part#M014BF<u>size</u>

Sizes: 1/2" - 2"

LEO INTERNATIONAL, INC.

471 Sutter Avenne, Brooklyn, New York 11207 • Tel:718-290-8005 • Fax:718-290-8046

www.leointernational.com

4" Brass Floor Flange







4" Brass Deep Floor Flange




Part#BFF4D

4" Brass Offset Floor Flange



Part#BFF40S

4x3 Brass Floor Flange Lead Style



4x3 Brass Floor Flange Bowl Style



LEO INTERNATIONAL, INC.

471 Suiter Avenue, Brooklyn, New York 11207 • Tel:718-290-8005 • Fax:718-290-8046





ROTO TOOL™



U-Cutter





Part#RTUCsize Sizes: 2" - 4"



Cable Side Cutter Blade



Part#RTSCBsize Sizes: 2" - 4" %" Side Cutter Blade 1 1/4" OD





Part#RT114SCB

3/4" Boring Gimlet



Part #RTBG

¾" Down Head Boring Gimlet



Part#RTDHBG

LEO INTERNATIONAL, INC.

ROTO TOOL™





¾" Arrow Head Starting Drill





Part#RTAH



Part#RTFAH

%" Down Head Fitting



Part#RTDHF

Closet Auger



Part#	Description	Sizes
RTCA <u>size</u> F	Closet Auger Regular Head	3FL & GFL
RTCAT <u>size</u> DH	Closet Auger Down Head	3FL & GFL

Cable



Part#	Description	Sizes
RTC <u>size</u>	Cable Regular Head	%" x 25" & %" x 50"
RTCDH <u>size</u>	Cable Down Head	%" x 25" & %" x 50"
RTCDDH <u>size</u>	Cable Double Down Head	%" x 25" & %" x 50"
RTCFC <u>size</u>	Cable w/ Female Connector	%" x 25' & %" x 35'
RTCMFC <u>size</u>	Cable w/ Male & Female Connector	½" x 25" & ½" x 50"

LEO INTERNATIONAL, INC.

471 Suiter Avenue, Brooklyn, New York 11207 • Tel:718-290-8005 • Fax:718-290-8046

PRODUCT INDEX

458'S	44	BRASS UNION ELBOW	17
4-WAY PO PLUG WRENCH	93	BRONZE COMPANION FLANGE	25
4-WAY SILL COCK KEY	93	BRONZE COPPER DRAIN ELBOW	28
7-PIECE SOCKET SET	74	BRONZE DROP EAR ELBOW	28
ACID BRUSH	92	BRONZE FLANGE	25
ADJUSTABLE CARRIER FITTINGS	41	BRONZE FLARE FITTINGS	25
ADJUSTABLE FLOOR DRAINS	48	BRONZE METER COUPLING	25
ADJUSTABLE SHOWER DRAINS	40	BRONZE METER FLANGE	25
AIR PURGER	20	BRONZE MONOFLOW TEE	28
AIR VALVE	20	BRONZE OSY VALVE	32, 33
ANGLE SEAT WRENCH	93	BRONZE PAC FITTINGS	26
ANGLE STOP VALVE	70	BRONZE PIPE CLAMP	25
AQUA STAT WELLS	92	BRONZE Y-STRAINERS	19
AREA DRAIN	48	BRUSHES	92
AUTOMATIC HOT WATER AIR VENT	20	CARBON FORGED STEEL FLANGES	60
BACK OUTLET BEND	46	CARBON SEAMLESS STEEL WELD FITTINGS	61
BACK WATER VALVE	49	CARRIER FITTINGS	41
BACKFLOW PREVENTER	21	CAST BRASS SHOWER NUT	67
BALANCING VALVE	18	CAST IRON COMPANION FLANGE	59
BALLDRIP	38	CAST IRON FITTINGS	58, 59
BALL VALVE WITH CAP & CHAIN	38	CAST IRON FLANGED FITTINGS	59
BALL VALVE WITH DRAIN, LONG STEM	15	CAST IRON OSY VALVE	32
BALL VALVE WITH THANDLE	18	CAST IRON PIPE	7
BALLVALVES	12-17, 38, 63	CAST IRON RADIATORS	9
BAND HANGER	53	CAST IRON Y-STRAINERS	19
BAND IRON	53	CAULKING GUN	92
BASIN COCK	73	CELLING PLATE	54
BATH & SHOWER SETS	75, 76, 80	CERAMIC LAVATORIES	88
BATH WASTE	68	CHECK VALVE	18, 32, 38
BATHROOM FAUCETS	76-79	CHROME NIPPLE	8
BAZOOKA	66	CHROME PLATED TUBULAR TRAPS	66
BEAM CLAMP	54	CIRCULATOR FLANGE KIT	21
BELLTRAP	48	CIRCULATOR VALVES	15
BLACK MALLEABLE FITTINGS	56	CLEAN-OUT DECK PLATE	48
BLACK NIPPLE	8	CLEAN-OUT FERRULE	49
BLACK PIG TAIL	20	CLEAN-OUT TEE	43
BLACK PIPE	6.7	CLEVIS HANGER	53
BLACK PIPE FLOOR FLANGE	93	CLOSE COUPLE KIT	71
BOILER DRAIN	22	CLOSET BEND	43
BOILER MANIFOLD	21	COACH SCREW	53
BOILER TUBE PLUG	51	COMBINATION TRAP & TEE	49
BOLT CUTTER	51	COMPRESSION ADAPTER TEE-VALVE	70
BOLT, NUT, & WASHER PACK	21	CONVECTORS	11
BRASS CLEAN-OUT PLUG	49	COPPER FITTINGS	30
BRASS COMPRESSION COUPLING	67	COPPER TUBING BRUSH	92
BRASS CONVECTOR STEAM VALVE	16	COUPLINGS	26
BRASS FITTINGS	27-29	CRIMP RING	12
BRASS FLOOR FLANGE	94	DECK FAUCETS	77
BRASS HOT WATER ANGLE VALVE	17	DECK STEM	71
BRASS NIPPLE	8	DELTA SUPPLY TUBE	69
BRASS PIG TAIL	20	DI-ELECTRIC UNION	20
BRASS RADIATOR STEAM VALVE	16	DIRT POCKET CAP	21
RDASS TDAPS	67	DODE BOUSH	92

PRODUCT INDEX

DOUBLE EXPANSION SHIELD	54	LAVATORY CARRIER	41
DOUBLE HUB PIPE	6	LAVATORY POP-UP	68
DOUBLE SHUT-OFF	91	LAVATORY SUPPLY	69
DOUBLE TAP TY	44	LEAD FIT-ALL PLUG	51
DOUBLE VENT CROSS-OVER	44	LEAD REPAIR COLLAR	51
DOUBLE VENT TRAP	47	LEFT & RIGHT BLACK NIPPLE	8
DROP-IN ANCHORS	54	LIQUID SOAP DISPENSER	73
DUCTILE MECHANICAL JOINT	31	LONG 1/4 BEND	44
DUO STRAINERS	82	LONG STEM VALVES	15, 22
EASY 7000	44	LONG SWEEP	43, 45
ECCENTRIC REDUCER	61	LONG TURN TY	43, 47
ENAMEL FLOOR SINK	42	LOW-RAY	9
ENAMEL SERVICE SINK	42	MALLEABLE FITTINGS	56, 57
ESCUTCHEONS	73	MEDICINE CABINETS	87
EXTRA HEAVY NO-HUB COUPLING	52	MESH STRAINER	82
EXTRA HEAVY PIPE	6	METAL STUD INSULATOR	55
FAUCET HANDLE	71	MG COUPLING	52
FAUCETS	76-79	NEW YORK TRAPS	67
FIXTURE CARRIER	41	NPPLES	. 8
FLEXIBLE COUPLING	52	NO-HUB COUPLING	52
FLEXIBLE SUPPLY TUBE	69	NO-HUB FERRULE	49
FLOOR DRAINS	40, 48	NO-HUB FITTINGS	43-47
FROST FREE SILL COCK	18	NO-HUB PIPE	43-47
GALVANIZED MALLEABLE FITTINGS	57	NO-HUB PIPE REPAIR CLAMP	51
GALVANIZED NIPPLE	8		
GALVANIZED PIPE REPAIR CLAMP	93	OFFSET FLANGE	50, 94
GALVANIZED P-TRAP	50	OIL FILL BOX	20
		OSY VALVE	32, 33
GAS BALL VALVE	17	PADS	92
GATE VALVE	22	PEDESTALSINKS	83, 84
GLOBE V ALVE	22	PETCOCK VALVE	18
GRAB BARS	68	PEX CINCH CLAMP TOOL	13
GRID DRAIN	68	PEXCUTTER	13
GROOVED CHECK VALVE	38	PEXFITTINGS	12, 13
GROOVED FITTINGS	35, 36	PEX MANIFOLD	13
GROOVED PIPE	7	PEXTUBING	12
HAMMER	90	PEXVALVES	12
HANGERS	53, 54	PIGTAILS	20
HEATERS	9, 10	PIPE CLAMP	25, 55
HEELBEND	43	PIPE STRAP	53
HOSE COUPLING	91	PIPE WRENCH	90
HOSE SPRAY	91	POLISH CHROME GRID DRAIN	68
HOSE UNION	91	POLISH CHROME POP-UP	68
HUB GASKET	52	POLYWASHER	66
HYDRANT ADAPTER	93	POTTERY	5
JIFFY SHOWER BAR FLANGES	74	P-TRAP STANDARD	42
JIM CAP	52	P-TRAP W/ 2" SIDE OUTLET	44
JOLLY BOLTS	73	PVCFITTINGS	62, 63
KINDORF	55	PVCPIPE	63
KINDORF STRAP	53	QUICK HOOK-UP	65
KITCHEN FAUCETS	76, 77, 79	RADIATOR SPUD WRENCH	93
KITCHEN SPRAY	91	RADIATORS	10
KNEE BRACKET	54	REBUILD KIT	71
I A TDAPS	63 67	DISED CLAMO	53


PRODUCT INDEX

ROADWAY BOX	31	SUN-RAY	10
ROD COUPLING	53	SUPPLYTUBES	69
ROLLER PAINT BRUSH	91	SUSPENSION CLAMP	55
ROOF DRAINS	49	SWING CHECK VALVE	18
ROOF IRON	49	SWIVEL & NUT	21
ROTO TOOLS	90-96	TAILPIECE	65
ROUND STRAINERS	40	TANK HANDLE	73
RUBBER FLANGE GASKET	38	TANK SUPPLY	69
RUBBER FLAPPER	73	TAP ADAPTER	50
RUBBER MALLET	90	TAPPED TEE SADDLE	51
SEAT	71	TEPHLON TAPE	92
SERVICE SINK FAUCET	42	TEST CAP SPEED FLANGE	50
SERVICE WEIGHT PIPE	6	TEST PLUG	52
SHORT SWEEP	43	THREADED ROD	55
SHOWER ARM	71	TOLETS	89
SHOWER DRAINS	40, 64	TP ADAPTERS	28
SHOWER HANDLE	71	TP FITTINGS	28
SHOWER HEADS	74	TRIP LEVER FACE PLATE	74
SHOWER NUT	67	TRIP WASTE	68
SHOWER SETS	75, 76	TUB & SHOWER SETS	75, 76
SHOWER STEMS	72	TUB WEDGE	51
SIDE BEAM BRACKET	54	TUBE-RAY	9
SIDE OUTLET BEND	43	Tubing Cutter	90
SINGLE HUB PIPE	6	TUBULARS	65, 66
SINGLE VENT TRAP	43	UNDERMOUNT STAINLESS STEEL SINKS	81, 82
SINK STRAINERS	82	UNIVERSAL HANDLE	71
SLEEVE	71	URINALS	89
SLIP ELBOW	66	UTILITY RINSE FAUCET	76
SLIP NUTS	67	UTILITY TRAPS	66
SUPTEE	66	VACUUM BREAKER	74
SPEED FLANGE	50	VANITY CABINETS	85
SPEEDY VALVES	70	VANITY TOPS	87
SPOUTS	74	VENT CAP	20
SPRING LOADED CHECK VALVE	38	VENT CLOSET	44
SPRINKLER HEAD	37	VENTED TUB WYE	44
SPRINKLER HEAD GUARD	38	Washing Machine Box	64
SPUD	73	Washing Machine Hose	91
SQUARE GRATE	49	Washing Machine Tee	66
SQUARE STRAINERS	40	Washing Machine Valve	70
STAINLESS STEEL GRAB BARS	68	WASTE BEND	65
STAINLESS STEEL SINKS	80-82	WATER METERS	24
STAINLESS STEEL SUPPLY TUBES	69	WELD FITTINGS	5
STANDING WASTE	68	WONDER AIR VALVE	20
STEAM FITTINGS	58	WOOD BRUSH	92
STEEL NUT & WASHER	54	WOOD SPADE BITS	90
STEEL PIPE	6	WRIST BLADE HANDLE	92
STRAIGHT STOP VALVE	70	Y-STRAINERS	19
STRICKER	92	ZINC NUT	65
SUMP PUMP VALVE	52		
SUN-RAD	10		

UPDATE SCHEDULE			
DATE	DATE ITEMS		
		· ·	
3			
		4	

UPDATE SCHEDULE			
DATE	DATE ITEMS		
		· ·	
3			
		4	

PRODUCT CATEGORY



LEO INTERNATIONAL, INC.

471 Suiter Avenue, Brooklyn, New York 11207 • Tel:718-290-8005 • Fax:718-290-8046

LEO INTERNATIONAL, INC.



FITLOK°

NGSMA

SUN-RAY */ SUN-RAD *

TUBULAR SPECIAL TIES



TUBE-RAY

Classic Brass

AMSAM[™] GEORGIA





PRIME-FLOW

LOW-RAY®





DIAMOND SINKS



Tel: 718-290-8005 Fax: 718-290-8046

Email: info@leointernational.com

www.leointernational.com